UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/597,397	07/24/2006	Makoto Tomioka	SCH-16628	1400	
	7590 12/23/200 L & CLARK LLP	EXAMINER			
38210 Glenn A	venue	NGUYEN, THONG Q			
WILLOUGHB	Y, OH 44094-7808		ART UNIT	PAPER NUMBER	
			2872		
			MAIL DATE	DELIVERY MODE	
			12/23/2008	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Supplemental Notice of Allowability

Application No.	Applicant(s)	Applicant(s)			
10/597,397	TOMIOKA, MAKOTO	TOMIOKA, MAKOTO			
Examiner	Art Unit				
Thong Nguyen	2872				

	Thong Nguyen		2872	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (wherewith (or previously mailed), a Notice of Allowance (PTOL-85) on NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGORY of the Office or upon petition by the applicant. See 37 CFR 1.313	OR REMAINS) Corother appropria GHTS. This applicand MPEP 1308.	LOSED in this app te communication	olication. If not include will be mailed in due	ed course. THIS
1. \boxtimes This communication is responsive to <u>the IDS filed on 11/27/</u>	<u>08</u> .			
2. X The allowed claim(s) is/are 1-2 and 4 which are renumbered	d as claims 1-3.			
3.	been received. been received in a suments have been fethis communicated. Note the attacted. Note the attacted sereason(s) why the besubmitted. Amendment / Communicated series of this applicated. Note the attacted series of the submitted. Amendment / Communicated series of the submitted serie	Application No in received in this received in this received in this received in this received in the factor. The ched EXAMINER's received each or declaration or the Comment or in the Comment or the drawing to 37 CFR 1.121(co.) AL MATERIAL IN TERIAL	complying with the recomplying sin the front (not the li).	quirements OTICE OF
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 11/27/08 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6.		(PTO-413), e	wance

Application/Control Number: 10/597,397 Page 2

Art Unit: 2872

DETAILED ACTION

1. The present Office action is made in response to the filing of the Information Disclosure Statement filed by the applicant on 11/27/08. This Office action is used as a supplemental Notice of Allowance with the Notice of Allowance mailed to applicant on 12/3/2008.

Allowable Subject Matter

- 2. Claims 1-2 and 4 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

The relay set as recited in the independent claim 1 is patentable with respect to the prior art, in particular, the U.S. Patent Nos. 4,693,568 and 5,461,509 by the limitations related to the structure of the lens elements constituted each of the half set of the relay set. It is noted that while the use of a triplet in each of the half set of a relay set in an endoscope is known to one skilled in the art as can be seen in each of the mentioned reference; however, the cited art does not disclose the lens structure of each half set as recited in present claim 1, lines 8-16. In particular, the half set of the relay set as described in the Patent No. 4,693,568 and shown in fig. 2 does not disclose that the outer lens component is a cemented lens constituted by a plane-convex lens and a plane-concave lens. In the Patent No. 5,461,509, the half set of the relay set as described in column 2 and shown in figure 3 discloses a cemented lens constituted by a plane convex lens and a plane-concave lens; however, the outer lens is a plane-concave lens with a negative power and the middle lens is a plane-convex lens with a positive

power. Both the two mentioned Patents do not disclose that the half set comprises an inner positive lens, a middle negative lens and an outer positive lens wherein the outer positive lens is a plane-convex lens, the middle lens is a plane-concave lens element and the outer lens and the middle lens are cemented to each other as claimed.

The prior art filed by applicant on 11/27/08 has been considered and are not sufficient by themselves or in combination with the art of record to reject the pending claims 1-2 and 4. The pending claims 1-sufficientre still allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

- 4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thong Nguyen whose telephone number is (571) 272-2316. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephone B. Allen can be reached on (571) 272-2434. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/597,397 Page 4

Art Unit: 2872

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Thong Nguyen/ Primary Examiner, Art Unit 2872